




Bearing equipment manufacturing Co., Ltd



95 mm x 170 mm x 32 mm NSK 6219DDU deep groove ball bearings

Bearing No. 6219DDU

6219DDU Bearing 2D drawings and 3D CAD models

Size	95x170x32 mm
Bore Diameter	95 mm
Outer Diameter	170 mm
Width	32 mm
d	95 mm
D	170 mm
B	32 mm
C	32 mm
r min.	2,1 mm
da min.	106 mm
da max	114 mm
Da max.	159 mm
ra max.	2 mm
Weight	2,64 Kg
Basic dynamic load rating (C)	109 kN
Basic static load rating (C0)	82 kN
(Grease) Lubrication Speed	2 600 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.651
EAN	0029176064883
Product Group	B00308
Enclosure	2 Seals



Bearing equipment manufacturing Co., Ltd

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	95MM Bore; 170MM Outside Diameter; 32MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage;
Other Features	Deep Groove Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6219DDU
Weight / LBS	5.8212
Bore	3.74 Inch 95 Millimeter
Outside Diameter	6.693 Inch 170 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	1.26 Inch 32 Millimeter
SRI	12.32
hidYobi	6219DDU



Bearing equipment manufacturing Co., Ltd

LangID	1
D_	170
SREX	0.04
B_	32
da min	106
hidTable	ecat_NSRDGB
SRE	12.32
mass	2.64
GRS rpm	2600
ra	2
SRIX	0.04
D_a	159
SRIN	-0.04
C0	82
fo	14.4
SREN	-0.04
DE_	156.312
Prod_Type3	DGBB_SR_DD
DA_	23.812
bomp	0
Z_	10
yobi	6219DDU
C_conv	109000
ALPHA_	0
SDM_	132.5
r	2.1
KBRG	6161
SBRG	2
DI_	108.688