





Bearing equipment manufacturing Co., Ltd



90 mm x 125 mm x 18 mm SKF 71918 CB/P4AL angular contact ball bearings

Bearing No. 71918 CB/P4AL

71918 CB/P4AL Bearing 2D drawings and 3D CAD models

Size	125x90x18 mm
Bore Diameter	125 mm
Outer Diameter	90 mm
Width	18 mm
d	90 mm
D	125 mm
B	18 mm
d ₁	103 mm
d ₂	101.4 mm
D ₂	115 mm
b	2.2 mm
C ₁	9.3 mm
C ₂	4.5 mm
C ₃	2.9 mm
r _{1,2} - min.	1.1 mm
r _{3,4} - min.	0.6 mm
a	27.5 mm
d _a - min.	96 mm
d _b - min.	96 mm
D _a - max.	119 mm
D _b - max.	121.8 mm
r _a - max.	1 mm
r _b - max.	0.6 mm
d _n	103.9 mm



Bearing equipment manufacturing Co., Ltd

Basic dynamic load rating - C	17.8 kN
Basic static load rating - C ₀	17.6 kN
Fatigue load limit - P _u	0.72 kN
Limiting speed for grease lubrication	14000 r/min
Limiting speed for oil lubrication	22000 mm/min
Ball - D _w	7.144 mm
Ball - z	36
G _{ref}	7.37 cm ³
Calculation factor - f ₀	10
Preload class A - G _A	59 N
Preload class B - G _B	120 N
Preload class C - G _C	355 N
Calculation factor - f	1.12
Calculation factor - f	1
Calculation factor - f _{2A}	1
Calculation factor - f _{2B}	1.02
Calculation factor - f _{2C}	1.07
Calculation factor - f _{HC}	1
Preload class A	53 N/micron
Preload class B	70 N/micron
Preload class C	112 N/micron
d ₁	103 mm
d ₂	101.4 mm
D ₂	115 mm
C ₁	9.3 mm
C ₂	4.5 mm
C ₃	2.9 mm
r _{1,2} min.	1.1 mm



Bearing equipment manufacturing Co., Ltd

$r_{3,4}$ min.	0.6 mm
d_a min.	96 mm
d_b min.	96 mm
D_a max.	119 mm
D_b max.	121.8 mm
r_a max.	1 mm
r_b max.	0.6 mm
d_n	103.9 mm
Basic dynamic load rating C	23.8 kN
Basic static load rating C_0	28.5 kN
Fatigue load limit P_u	0.72 kN
Attainable speed for grease lubrication	14000 r/min
Attainable speed for oil-air lubrication	22000 r/min
Ball diameter D_w	7.144 mm
Number of balls z	36
Reference grease quantity G_{ref}	7.37 cm ³
Preload class A G_A	59 N
Static axial stiffness, preload class A	53 N/ μ m
Preload class B G_B	120 N
Static axial stiffness, preload class B	70 N/ μ m
Preload class C G_C	355 N
Static axial stiffness, preload class C	112 N/ μ m
Calculation factor f	1.12
Calculation factor f_1	1
Calculation factor f_{2A}	1
Calculation factor f_{2B}	1.02
Calculation factor f_{2C}	1.07
Calculation factor f_{HC}	1



Bearing equipment manufacturing Co., Ltd

Calculation factor f_0	10
Mass bearing	0.59 kg